



ELSEVIER

Lithos, 33 (1994) 323–324

LITHOS

Author Index Volume 33, 1994

Agata, T., The Asama igneous complex, central Japan: an ultramafic–mafic layered intrusion in the Mikabu greenstone belt, Sambagawa metamorphic terrain	241
Arai, M., see Komatsu, M.	31
Arculus, R.J., Aspects of magma genesis in arcs	189
Banno, S., see Takasu, A.	119
Charvet, J., see Stein, G.	85
Dallmeyer, R.D., see Takasu, A.	119
Daniel, J.M., see Jolivet, L.	3
Dinklage, W.S., see Patrick, B.	67
Fabbri, O., see Stein, G.	85
Ferreira, V.P., Sial, A.N. and Whitney, J.A., Large-scale silicate liquid immiscibility: a possible example from northeastern Brazil	285
Gallagher, K., see Hawkesworth, C.J.	169
Gill, J.B., Hiscott, R.N. and Vidal, Ph., Turbidite geochemistry and evolution of the Izu–Bonin arc and continents	135
Goffé, B., see Jolivet, L.	3
Greenough, J.D., see Owen, J.V.	225
Harangi, S., Geochemistry and petrogenesis of the Early Cretaceous continental rift-type volcanic rocks of the Mecsek Mountains, South Hungary	303
Hawkesworth, C.J., Gallagher, K., Hergt, J.M. and McDermott, F., Destructive plate margin magmatism: Geochemistry and melt generation	169
Hergt, J.M., see Hawkesworth, C.J.	169
Hiscott, R.N., see Gill, J.B.	135
Jolivet, L., Daniel, J.M., Truffert, C. and Goffé, B., Exhumation of deep crustal metamorphic rocks and crustal extension in arc and back-arc regions	3
Komatsu, M., Toyoshima, T., Osanai, Y. and Arai, M., Prograde and anatectic reactions in the deep arc crust exposed in the Hidaka metamorphic belt, Hokkaido, Japan	31
Lapierre, H., see Stein, G.	85
McDermott, F., see Hawkesworth, C.J.	169
Nakajima, T., The Ryoke plutonometamorphic belt: crustal section of the Cretaceous Eurasian continental margin	51
Oberhänsli, R., Subducted and obducted ophiolites of the Central Alps: Paleotectonic implications deduced by their distribution and metamorphic overprint	109
Öhlander, B. and Skiöld, T., Diversity of 1.8 Ga potassic granitoids along the edge of the Archaean craton in northern Scandinavia: a result of melt formation at various depths and from various sources	265
Osanai, Y., see Komatsu, M.	31
Owen, J.V. and Greenough, J.D., Recrystallization of quartzofeldspathic rocks in a Paleozoic thrust belt, Grand Lake, Newfoundland: implications for garnet–biotite thermometry	225
Patrick, B., Till, A.B. and Dinklage, W.S., An inverted metamorphic field gradient in the central Brooks Range, Alaska and implications for exhumation of high-pressure/low-temperature metamorphic rocks	67
Sial, A.N., see Ferreira, V.P.	285
Skiöld, T., see Öhlander, B.	265
Stein, G., Charvet, J., Lapierre, H. and Fabbri, O., Geodynamic setting of volcano–plutonic rocks in so-called “paleo-accretionary prisms”: Fore-arc activity or post-collisional magmatism? The Shimanto belt as a case study	85
Takasu, A., Wallis, S.R., Banno, S. and Dallmeyer, R.D., Evolution of the Sambagawa metamorphic belt, Japan	119
Till, A.B., see Patrick, B.	67

Toyoshima, T., see Komatsu, M.	31
Truffert, C., see Jolivet, L.	3
Vidal, Ph., see Gill, J.B.	135
Wallis, S.R., see Takasu, A.	119
Whitney, J.A., see Ferreira, V.P.	285
Yamashita, K., see Yanagi, T.	209
Yanagi, T. and Yamashita, K., Genesis of continental crust under island arc conditions	209

